

1 WEST ADA PARKING ENLARGEMENT
SCALE: 1" = 5'



2 NORTH CENTRAL ADA PARKING ENLARGEMENT
SCALE: 1" = 5'

SHEET NOTES

1. SLOPES PROVIDED ON SLOPE ARROW ARE FOR REFERENCE ONLY.
2. LANDINGS ON ACCESSIBLE ROUTES SHALL NOT EXCEED 2% IN ANY DIRECTION.
3. ALL ACCESSIBLE ROUTES SHALL COMPLY WITH CURRENT ADA ACCESSIBILITY GUIDELINES FOR BUILDING AND FACILITIES (ADAAG).

(X) KEY NOTES

#	DESCRIPTION	DETAIL REF.
1	WHEEL STOP	2/C4.1
2	CONCRETE SIDEWALK	9/C4.1
3	ADA PARKING STALLS AND STRIPING	1/C4.1
4	ADA PARKING SIGN	3/C4.1
5	CURB RAMP	5/C4.1

GRADING LABEL LEGEND

CALLOUT — DESCRIPTION

X.X% — GRADING SLOPE AND DIRECTION (DOWNHILL)

XX.XX XX — SPOT ELEVATION
DESCRIPTION LISTED BELOW, NO DESCRIPTION MEANS TP OR TG

BW	BACK OF WALK
EG	EXISTING GRADE
TC	TOP OF CURB
TP	TOP OF PAVEMENT
TW	TOP OF WALK

(XXX.X±) — MATCH EXISTING

SHEET LEGEND

- SAWCUT
- (49) EX. CONTOUR MINOR
- (50) EX. CONTOUR MAJOR
- 49 PROP. CONTOUR MINOR
- 50 PROP. CONTOUR MAJOR
- CONCRETE SIDEWALK
- ADD ALTERNATE #1

BRIC ARCHITECTURE, INC.

NEWBERG PUBLIC SCHOOLS

kpff
111 SW Fifth Ave., Suite 2600
Portland, OR 97204
O: 503.542.3860
F: 503.274.4681
www.kpff.com

CHEHALEM VALLEY MS / ANTONIA CRATER ES

403 W FOOTHILLS DRIVE NEWBERG OREGON 97132
203 W FOOTHILLS DRIVE NEWBERG OREGON 97132
NEWBERG SCHOOL DISCTRICT
T 503-554-5000

NOT FOR CONSTRUCTION

key plan

revisions	

phase	SD
date	09/23/21
project	21007

CIVIL IMPROVEMENTS ENLARGMENT

C2.6

9/2/2021 3:15:43 PM
BIM 360://21007 Cohort 2022/21007 - Chehalem MS - CENTRAL.rvt