


City of Newberg Water Quality Report for 2009



414 East First Street
Newberg, OR 97132
www.newbergoregon.gov

*Este informe contiene información
muy importante sobre la calidad de
su agua beber. Tradúzcalo o hable
con alguien que lo entienda bien.*

The United States Congress passed the Safe Drinking Water Act in 1974 and reauthorized it in 1986 and 1996. The Environmental Protection Agency and the State of Oregon develop and enforce drinking water regulations to protect the public health. The City of Newberg has several programs that help protect and maintain the high quality of our water. This “multiple layer” approach includes:

Protecting the Source

Preventing pollution is the first priority in protecting our water source. The City owns the land where its wells are located. This location is in a largely unthreatened area. The land adjacent to the wells is leased for agricultural use with restrictions designed to protect the ground water from contamination by pesticides or other agricultural chemicals.

Disinfection and Treatment

Water from the well field is safe to drink without treatment. However, to protect your health, the City’s drinking water is disinfected using Chlorine. Chlorine concentration is measured continuously at the treatment plant and is checked at various points in the system weekly. Enough chlorine is added at the head of the plant to provide approximately one part per million (ppm) of residual chlorine after treatment. Water from the well field contains iron and manganese. Neither of these pose a health risk. They may cause discoloration or affect taste. Therefore, water from the well field is filtered to minimize this possibility. Filtered water is treated with sodium hydroxide to minimize the leaching of lead and copper from household plumbing.

Monitoring the System

The City of Newberg routinely monitors for contaminants in your drinking water according to federal and state laws. Samples are taken from 54 different sites on a rotating basis throughout the year. All required testing is performed by independent, certified laboratories using EPA approved methods. Process control sampling is performed by City staff. Every three years samples are taken from residences constructed prior to 1985 and tested for lead and copper. All test results are summarized in the Water Quality Data section of this report.





Preventing Contamination

Maintaining water quality includes effectively managing the water distribution system. Preventing contamination of the water from outside sources is very important. The City requires that backflow prevention devices be installed on any connection to the water system that could present the risk of contaminating the water. The City also routinely flushes the distribution system to maintain water quality and remove sediment from the water lines. In 2004, a comprehensive emergency response plan was developed to ensure that, in the event of a natural disaster or terrorist attack, the citizens of Newberg will continue to have an adequate supply of safe drinking water.

Water Reuse System

The City of Newberg experiences wide variations in water use between wet weather and dry weather. Summer use approaches 6 MGD (million gallons per day) while winter use is closer to 2 MGD. Irrigation is a substantial portion of the increased water demand during dry months.

In an effort to provide major irrigators with a source of water other than potable water, the City of Newberg built the Pall Membrane Reuse Water System. This system provides treated, recycled water to Chehalem Park & Recreation's Golf Course, reducing the use of potable water by an average of 350,000 gallons per day in the dry months. In the future, other irrigators and non potable water users will be able to access this resource. The City has the ability to expand the capacity of Reuse Water System to 2 MGD in the future. The recycle system reduces demand on the City's potable water supply and encourages local businesses to make conservation practices a part of their business model.

Our Goal:


The City of Newberg's drinking water continues to meet or exceed all federal and state requirements. We are committed to providing you with the highest quality water possible. If you have questions or would like information that is not in this report, contact the Water Treatment Supervisor at 503-537-1289. Reports from previous years are available at City Hall, 414 E. First St., Newberg, Oregon 97132.

Where Does Our Water Come From?

The City operates two groundwater systems: a well field and a spring system. Our primary source is a sand and gravel aquifer located just south of the Willamette River on property owned by the City of Newberg. Raw water from the well field is naturally filtered by this aquifer. Water is pumped from the well field across the river to the Water Treatment facility for further treatment and distribution. In 2006, the City constructed a second pipeline under the Willamette River to provide additional well field capacity to the Water Treatment facility.

Oliver Spring is located north of the City on the slope of Chehalem Mountain. Oliver Spring served 18 residences in 2009.

The City produced an average of 2.39 million gallons per day (MGD) of drinking water in 2009. 98.32% (2.35 MGD) of the total production came from the well field. The peak production day was 5.47 million gallons.





About Drinking Water

All drinking water, including bottled water, may be expected to contain small amounts of contaminants. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and radioactive material and can pick up substances from the presence of animals or human activity. It is important to remember that the presence of these contaminants does not necessarily pose a health risk.

Contaminants that may be present include:

- Microbial contaminants, such as viruses and bacteria, which may come from wastewater treatment plants, septic systems, livestock operations and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining and farming.
- Pesticides and herbicides which may come from a variety of sources, such as agriculture, storm water runoff and residential use.
- Organic chemicals, including synthetic and volatile organics, which are byproducts of industrial processes and petroleum production. These can also come from gas stations, urban storm water runoff and septic systems.
- Radioactive contaminants, which may be naturally occurring, or be the result of mining or oil and gas production.

The Environmental Protection Agency (EPA) has set Maximum Contaminant Levels (MCL), Maximum Contaminant Level Goals (MCLG), or Action Levels (AL) for each regulated contaminant. MCL's are set at very stringent levels. The City's drinking water sources contain no contaminants at or near the MCL or AL. See the Water Quality Data on the last page of this report.

About Lead:

Lead plumbing was banned in 1985. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Newberg is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.

Frequently asked Questions:

How do I pay my water bill?

Water billing and payments are generated by the Finance Department. You can make your payment at 401 E Third Street, Newberg, Oregon 97132. A new service allows you to pay your water bill online! Log on to set up your online account at www.newbergoregon.gov or call 503-537-1205.

Does Newberg's water supply contain Fluoride?

The City of Newberg does not add Fluoride to the water, however, there are trace amounts that occur naturally in the water supply.

Is Newberg's water hard or soft?

Our water supply is considered moderately hard—measured at 56 milligrams per liter (ppm).

Is there Chlorine in my Drinking Water?

The City is required to maintain a “chlorine residual” in the water. This is to protect the water from microbial contamination as it travels from the Treatment Facility to your home. There is approximately 1 milligram per liter of chlorine in a consumer's water.

How can I participate in decisions about Newberg's water system?

A Citizen Rate Review Committee meets periodically to review water rates. The committee considers factors such as current and future water demand, operation and maintenance costs, needed improvements, reserve funds, and other factors when recommending water rates. The committee then submits a report to the City Council. The Council then determines the rates for the water system. If you would like to be involved, contact the Finance Department at 503-538-9425.

Information For Kids!

Visit the Library or these great websites!

www.epa.gov/safewater/kids,

www.groundwater.org, or www.conserveh2o.org.



Herbert Hoover Park





Backflow Devices – Preventing Contamination in the Drinking Water

What's a Backflow Device?

Do you have a backflow device? Not sure? Most residents don't realize that the sprinkler system or water fountain in their yard or the fire system in their house has a backflow prevention device on it. This device prevents water that has entered the fountain or sprinklers from accidentally flowing back into the drinking water lines.

The Program

As required by Oregon Statute and City Code, backflow devices must be tested annually to ensure they are functioning. The city will mail a letter to each residence notifying that it's time to test the backflow devices. Tests are conducted by Certified Testers hired by the property owner. Each property owner may choose which tester they want to hire. Once device testing is complete, the tester will send the City a copy of the report indicating the results. Even Home Associations are required to have an annual backflow device inspection each year.

If you have a new device installed, you or your contractor must obtain a permit from the City Building Department. Devices must be installed and tested by a licensed contractor. Then the City will inspect the new device for final approval. For permit questions, contact the Building Department at 503-537-1209.

Not sure if you have a device?

Call the Water Treatment plant at 503-537-1239 and we will help you find the device on your property. Need a list of certified testers? We can mail you a list or you can visit the www.newbergoregon.gov for a link to the State of Oregon's website.



NEWGROW Compost

The City of Newberg offers an excellent product that is a favorite of landscapers all over the region. NEWGROW Compost is available all year to the public!

NEWGROW Compost exceeds all EPA and DEQ standards. It is low in metals, free of pathogenic organisms, and will not attract rats, flies, or other pests. **There are no restrictions on its use.** It is both a low-grade fertilizer and an excellent soil amendment. NEWGROW may be used without restriction on outdoor ornamental plants, as a potting soil amendment, on lawns and trees, and on nursery plots.

Delivery Services not available.

Sold by half yard increments or larger – not pre-bagged.

Call ahead to check availability: 503-537-1252 ext 1.

Hours of Sales:

Weekdays

8:30 am - 3:30 pm

Closed Daily

12 noon to 1:00 pm

Payment Accepted:

Cash or Check

No Credit or Debit cards

Charge accounts arranged at
City Hall Finance Office
in advance.



Donations to 501c Non Profit
with advance arrangement





Are there special health concerns I should know about?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants, can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC (Centers For Disease Control) guidelines on appropriate means to lessen the risk of infections by cryptosporidium and other microbiological contaminants are available from the EPA Safe Drinking Water Hotline 1-800-426-4791.

Testing

Total Coliform Bacteria

Total coliform bacteria are naturally occurring and not generally a health risk, but their presence is an indicator of possible contamination by harmful bacteria or other microorganisms. Any positive total coliform sample requires retesting at the location of the sample, and at two locations within five service connections upstream and downstream of the positive sample site. Of 320 tests, 320 (100%) were negative for total coliform in 2009.

Chlorine

The City is required to maintain a chlorine residual in the distribution system to provide post-treatment protection from microbial contamination. Chlorine residual is monitored continuously at the Water Treatment Plant. Weekly testing is done at Oliver Spring and in the distribution system to ensure that the water is adequately disinfected.

Testing is required on each source (well field and Oliver Spring) annually.

Trihalomethanes and Haloacetic Acids

Testing is done annually on water from the distribution system. Trihalomethanes and haloacetic acids are byproducts of disinfection with chlorine.

Inorganic Compounds

Testing is done for 18 inorganic compounds on each water source every nine years. The City's most recent testing for inorganic compounds was performed in October of 2004. At that time, a very low level of copper (less than 8% of the allowable level) was detected. All other inorganic compound testing produced no detectable results.

Arsenic

Arsenic testing is performed every three years. The most recent testing in May of 2008 found no detectable levels of arsenic.

Organic Compounds

Testing is done for 21 volatile organic compounds (VOCs) and 42 synthetic organic compounds (SOCs) every three years. VOCs include petroleum products and solvents. SOCs include pesticides, PCBs, and other man-made organic chemicals. No VOCs or SOCs were detected in Newberg's drinking water in testing done in 2007 (for SOCs) and 2008 (for VOCs).

Lead and Copper

EPA requires testing at the customer's tap in homes built prior to 1985, which are more likely to have elevated lead and copper levels. In 1998, the City began adding sodium hydroxide (NaOH) to its finished water supply to raise the pH of the water and minimize the leaching of lead and copper from household plumbing. From 1998 until 2003, the City tested annually for lead and copper levels. Due to the successful outcome of this testing, the EPA now requires the City to only test for lead and copper every three years.

Radioactive Contaminants

Source waters have been tested for gross alpha emissions every four years. New rules now also require testing for uranium and radium. Testing frequency is based on the amount of radiation detected in previous tests.

Unregulated Contaminants

EPA required testing for 11 unregulated contaminants twice between 2002 and 2005. Testing done on samples taken in December 2002 and June 2003 did not detect any of these contaminants in Newberg's drinking water.

Sodium:

Although there is no MCL for sodium, the level of sodium in the City's water may be of concern to individuals on sodium-restricted diets. Water produced by the treatment plant contained 21.6 to 24.8 ppm in samples taken in 2009. If you are concerned about the levels of sodium in your drinking water, please consult your physician.

Chlorine:

EPA has recommended a maximum residual disinfectant level goal of 4.0 ppm. Maximum recorded chlorine residuals in 2009 were 2.02 ppm at the Water Treatment Plant. The maximum chlorine residual recorded in the well field supplied distribution system in 2009 was 1.04 ppm. The maximum chlorine residual recorded at Oliver Spring in 2009 was 2.20 ppm.



City of Newberg Water Quality Data for the Year 2009

The following tables show the results of the City of Newberg's water quality analyses. All regulated contaminants that have been detected, even in minute amounts, are shown in the table. The table contains the name of the substance, the water source, the amount detected, the maximum level allowed by regulation (MCL or AL), the ideal goal for public health (MCLG), and the likely source of the substance.

<i>Substance</i>	<i>Water Source</i>	<i>Level</i>	<i>MCL</i>	<i>MCLG</i>	<i>Units</i>	<i>Date Tested</i>	<i>Major Sources</i>
<i>Nitrate</i>	Well field	0.9	10	10	ppm	8/2009	Runoff from fertilizer use, erosion of natural deposits, septic systems, wastewater discharges
	Oliver Spring	2.2					
<i>TTHM</i> ¹	Distribution System	32.6	80	-	ppb	8/2009	Byproduct of disinfection with chlorine
	Oliver Spring	ND					
<i>HAA5</i> ¹	Distribution System	6.8	60	-	ppb	8/2009	Byproduct of disinfection with chlorine
	Oliver Spring	ND					
<i>Copper</i> ²	Well field	.014	AL=1.3	1.3	ppm	2002	Erosion of natural deposits
	Oliver Spring	.007					
	Dist. System	ND					
<i>Radium</i> 226/228	Well field	ND			pCi/L	5/2009	Erosion of natural deposits
	Oliver Spring	ND					
<i>Uranium</i>	Well field	ND	30	0.0	ppb	5/2009	Erosion of natural deposits
	Oliver Spring	ND					

<i>Substance</i>	<i>Date Tested</i>	<i>90th Percentile</i> ³	<i>Level</i>	<i>Goal</i>	<i>Units</i>	<i>Homes Exceeding AL</i>	<i>Major Sources</i>
<i>Lead</i> ⁴	9/2009	5.3	15	0.0	ppb	3.3%	Corrosion of household plumbing
<i>Copper</i> ⁴	9/2009	0.12	1.3	1.3	ppm	0%	Corrosion of household plumbing

Abbreviations

ppm = parts per million or milligrams per liter | ppb = parts per billion or micrograms per liter | NTU = nephelometric turbidity units | pCi/L = picocuries per liter | mgd = million gallons per day | TTHM = total trihalomethanes | HAA5 = haloacetic acids | ND = None Detected

MCL = Maximum Contaminant Level The highest level allowed in drinking water. The MCL is set as close to the MCLG as feasible using the best available technology.

MCLG = Maximum Contaminant Level Goal The level of a contaminant in drinking water below which there is no known or expected risk to health. | AL = Action Level The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.)

Footnotes ¹ Values are maximum recorded of all sources sampled during 2009. ² Measured at the source (well field and springs). ³ The 90th percentile value is the level that 90% of the homes tested were at or below. If the 90th percentile value exceeds the AL, water suppliers must take steps to reduce lead and/or copper levels. ⁴ Measured at residential taps

City of Newberg

414 East First Street

Newberg, OR 97132

PRSR7 STD
US POSTAGE
PAID
PORTLAND OR
PERMIT NO. 202



Mixed Sources

Product groups that are well-managed
for their life cycle and
recycled wood or fibre
www.fsc.org Cert no. SCS-COC-001747
© 1996 Forest Stewardship Council

